Approved For Release 2008/03/26 : CIA-RDP78B04558A001200040133-8

25X1

FROM:

DATE: 1/4/66

	TO	INITIALS	DATE	REMARKS
DIR	3			
DEP/DIR	7			
EXEC/DIR	1			
TECH ADV				
ASST FOR ADMIN				
CH/SS				
CH/MSS	4			
ASST FOR OPS				
ASST FOR PA				
ASST FOR P&D				
CH/CSD				
CH/IPD				
CH/PD				
CH/PSD				
CH/TID				
CH/CIA/PID				
CH/DIA/XX-4				
CH/DIA/AP-IP				
CH/SPAD				
LO/CGS/CIA				
LO/NSA				

NPIC-FM 30 (REV 4-65)

Approved For Release 2008/03/26 : CIA-RDP78B04558A001200040133-8

Approved For Release 2008/03/26 : CIA-RDP78B04558A001200040133-8

TOP SECRET [redacted] PRIORITY 25X1

P 011920Z
FM NPIC
TO DIRNSA
CNO

1966 APR 1 19 53Z

multi

25X1

[redacted]

OUT58128

1 APR 1966

DISTRIBUTION 7		
Cy No.	Office	Action
1	File	
2	OS	
	ADMIN	
	SEC ER	
	P & PS	
3	OCD	✓
	IPD	
	FD	
	FSD	
	FSD IOB	
	TID	
4, 5	IAD	
6	PAS	
	DIAXX-4	
7	SPAD	
	NSA-LO	
	DIA-AP	

1

Advance cop
Sanitized

25X1

GPCEN
STATE/RCI
CINCLANTFLT
CINCPACFLT
CINCUSNAVEUR
CINCLANT
CINCPAC
LANTINTCEN
FICPAC
COMNAVFORJAPAN
COMSECONDFLT
YDNAVQC/CINCEUR
YHLAKAC/USARPAC
AFSCC
AFSSO PACAF
AFSSO ACIC
AFSSO FTD
AFSSO AFSC
AFSSO BSD
AFSSO ESD
AFSSO SSD
AFSSO USAF
AFSSO SAC
AFSSO USAFE
INFO FICEUR
ZEM
T O P S E C R E T [redacted] CITE NPIC 6827. 25X1

CONTINUING ANALYSIS AND MENSURATION OF THE SAM LAUNCH AREA AT THE KAPUSTIN YAR SAM LAUNCH COMPLEX ON MISSION 4026 PERMITS THE FOLLOWING LISTED DIMENSIONAL COMPARISONS TO DEPLOYED AMM/SAM LAUNCH

[redacted] automatic downgrading and declassification

TOP SECRET [redacted] 25X1

Approved For Release 2008/03/26 : CIA-RDP78B04558A001200040133-8

Approved For Release 2008/03/26 : CIA-RDP78B04558A001200040133-8

COMPLEXES IN THE USSR. (1) DISTANCE BETWEEN GUIDANCE/CONTROL POSITION AND GUIDANCE/TRACKING RADAR FACILITY - KYMTC 3,300 FEET, TALLINN 3,630 FEET, CHEREPOVETS 3,025 FEET, NIZHNAYA TURA 3,740 FEET, LIEPAJA 3,310 FEET AS REFERENCED IN NPIC [redacted] 25X1

[redacted] (2) DISTANCE BETWEEN RADAR 25X1

POSITIONS IN THE GUIDANCE/TRACKING RADAR FACILITY - KYMTC 765 FEET, TALLINN 770 FEET, CHEREPOVETS 770 FEET, LENINGRAD NORTHWEST 770 FEET, AS REFERENCED IN NPIC [redacted] 25X1

[redacted] (3) LENGTH OF LAUNCHER - KYMTC 25 FEET, LENINGRAD 25X1

NORTHWEST [redacted] AS REFERENCED IN NPIC [redacted] (4) LENGTH 25X1

OF VEE OR FORKED PATTERN - KYMTC 125 FEET, TALLINN 145 FEET AS REFERENCED IN NPIC [redacted] (5) DISTANCE BETWEEN LAUNCH 25X1

POSITIONS - KYMTC 360 FEET; TALLINN (LAUNCH POSITIONS 3 & 4) 340 FEET AS REFERENCED IN NPIC/R-5038/66; (6) DISTANCE BETWEEN GUIDANCE/CONTROL POSITION AND EACH LAUNCH POSITION - KYMTC 415 FEET, CHEREPOVETS 435 FEET AS REFERENCED IN NPIC [redacted] 25X1

GP-1

T O P S E C R E T [redacted] 25X1

-END OF MESSAGE-

Approved For Release 2008/03/26 : CIA-RDP78B04558A001200040133-8